

# PRODUCT COLLECTION 2025



## CONTENTS

---

CALM WOOD	003
TOUCH	015
PLATINUM	027
MOSACE	039
TEXTURE GRACE	053
ELEGANT	063
EXCELLENT WOOD	073
PHILLY	085
SHADOW	097
WOOD	107



# CALM WOOD

CHINA-MADE

# FINISH

Veneer Thickness: 120S



橡木灰咖 YMO1-21/19/11    橡木棕咖 YMO2-21/19/11    橡木金咖 YMO3-21/19/11    橡木水洗白 YMO4-21/19/11    橡木炭黑 YMO5-21/19/11

Veneer Thickness: 50S



黑胡桃本色 YM13-21/19/10    黑胡桃水洗白 YM14-21/19/10    黑胡桃暗金 YM15-21/19/10    黑胡桃炭黑 YM16-21/19/10    烟熏尤加利 YM08-21/19/10

Veneer Thickness: 50S



橡木浅云 YMO6-21/19/10    橡木墨影 YMO7-21/19/10    橡木水洗白 - C YM19-21/19    橡木灰咖 - C YM20-21/19    橡木棕咖 - C YM21-21/19

Veneer Thickness: 50S




摩卡麻棕 YM17-21/19/11    摩卡暗影 YM18-21/19/11    榆木 WY-03 YMO9-21/19/10    榆木 WY-04 YM10-21/19/10

## MATERIALS AND PROPERTIES

### FACE MATERIAL WOOD VENEER BOARD

0° Italian craftsmanship of semi-transparent coating  
The touch is real and more natural  
Italian craftsmanship of joining wood grain patterns  
wood veneer 3D drawing craftsmanship




### SUBSTRATE

Category	Thickness	Substrate	Environmental	Performance Advantages
DOOR/DECORATIVE PANEL	21mm	FOSB	ENF	Low adhesive consumption Strong load-bearing capacity Excellent nail-holding force Moisture-proof and anti-corrosion
DECORATIVE PANEL	10-11mm	Plywood Core	E0	Stable and anti-deformation Moisture-proof and mildew-proof Strong weather resistance Good heat resistance












# TOUCH

CHINA-MADE

# FINISH

## Touch



玄铁灰 TQ17-22.4/22.5/13  
粉灰 TQ18-22.4/22.5/13  
灰白 TQ19-22.4/22.5/13  
浅咖 TQ21-22.4/22.5/13

## Touch C



布雷拉米格纹 TQ14-22/13  
布雷拉灰格纹 TQ15-22/13  
淡奶茶 TQ29-22



鲨鱼灰 TQ35-22  
芦苇灰 TQ36-22  
浅米灰 TQ37-22

## Touch M




香槟暮光 TQ33-22/12  
云雾银沙 TQ34-22/12

## Touch S



复古红 TQ01-22/13  
深海蓝 TQ02-22/13  
湖水绿 TQ03-22/13  
深炭灰 TQ04-22/13



陨石灰 TQ05-22/13  
晨雾灰 TQ06-22/13  
羊绒驼 TQ07-22/13  
月霜白 TQ08-22/13




映雪白 TQ31-22/13  
玄境黑 TQ32-22/13  
柔米杏 TQ35-22/13  
柔雾咖 TQ36-22/13

MATERIALS AND PROPERTIES

FACE MATERIAL  
**PET VENEER BOARD**

Velvety-Soft Touch  
 Smudge-Proof & Scratch-Resistant  
 Stain-Repellent & Effortless Cleaning  
 Matte Elegance for Sophisticated Spaces



SUBSTRATE

Category	Thickness	Environmental	Substrate	Performance Advantages
TOUCH	22.4mm	F★★★★	Particleboard	Strong anti-deformation capability Excellent nail-holding capacity Superior finish compatibility
	13mm	EO		
TOUCH-C	22mm	F★★★★		
TOUCH-S	22mm	F★★★★	MDF	Excellent processing performance Superior stability High flatness
	13mm	E1		
TOUCH-M	22mm	F★★★★		
	12mm	EO		










# PLATINUM

IMPORTED SERIES

# FINISH

## Brushed-Grained Series



鎏金拉丝  
BBO1-22

陨灰拉丝  
BBO2-22

## Wood-Grained Series



尼斯橡木纹 A  
BBO3-22

银橡  
BBO4-22

非洲鸡翅木纹  
BBO5-22

斯玛特乌木纹  
BBO6-22/12

斯玛特卡其  
BBO7-22/12



卡希纳松木纹  
BB08-22/12

加州橡木  
BB11-22

暖橡阡陌  
BB18-22

胡桃阡陌  
BB19-22

## Specialty Color Series



时光  
BB13-22

## Solid Color Series




深灰棕  
BB15-25/22/18/8

贝壳白  
BB20-25/18/8

## MATERIALS AND PROPERTIES

### FACE MATERIAL MELAMINE BOARD

Realistic Texture & Rich Color Palette  
Superior Color Stability  
Wear/Scratch Resistant & Moisture/Water Resistant  
Effortless Cleaning



### SUBSTRATE

Category	Thickness	Environmental	Substrate	Performance Advantages
纯色色系	22mm	E1	Particleboard	High Resistance to Bending, Compression, and Deformation Excellent nail-holding capacity Superior finish compatibility
木纹色系	22mm (尼斯橡木纹 A)	E1		
	12mm (加州橡木)			
	22/12mm (卡希纳松木纹)	E0		
	22mm (暖橡/阡陌胡桃阡陌/非洲鸡翅木)	F★★★★		
	22/12mm (斯玛特乌木纹/斯玛特卡其)			
纯色色系	25/22/18/8mm	F★★★★		
其他纹色系	22mm	E0		











# MOSACE

CHINA-MADE

# FINISH

## Wood-Grained Series



烟熏橡木纹 MSO1-25/22/18/8  
马拉橡木纹 MSO2-25/22/18/8  
可可橡木纹 MSO3-25/22/18/8  
茶白橡木纹 MSO4-22/18  
冰原木纹 MSO5-25/22/18/8



暖棕胡桃 MSO8-22/12  
浅咖胡桃 MSO9-22/12  
亚麻胡桃 MS10-22/12  
枫影木纹 MS11-22  
轻烟木纹 MS12-22




素锦木纹 MS13-22  
朴影黄橡 MS52-22/12  
素影橡木纹 MS53-25/22/18/12/8

## Stone-Veined Series




黑曜石纹 MS23-22/18/8  
玉白石纹 MS24-22/18/8  
黑金石纹 A MS54-22/18/12  
火山海岸 MS55-22/18/12

## Joyous Tones Series



暮云灰 MS27-22  
奶油杏 MS28-22  
月影灰 MS29-22  
墨云灰-T MS30-22  
润石灰-T MS31-22



云峰白-T MS32-22  
菊蕾棕-T MS33-22  
星光白-T MS34-22  
驼白直纹 MS35-22  
卡其直纹 MS36-22

## Leather-Textured Series



拿铁皮纹 MS38-25/22/18/12/8  
奶茶皮纹 MS39-25/22/18/12/8  
太妃皮纹 MS40-12

## Specialty Color Series




砂褐时光 MS51-22/18

MATERIALS AND PROPERTIES

FACE MATERIAL  
**MELAMINE BOARD**

Diverse Patterns & Textures with Hyper-Realistic Effects  
Waterproof, Wear-Resistant & Easy-Clean  
Flat Surface with Anti-Warping Stability




SUBSTRATE

Category	Thickness	Environmental	Substrate	Performance Advantages
木纹色系	25/22/18/12/8mm	F★★★★	Particleboard	High Resistance to Bending, Compression, and Deformation Excellent nail-holding capacity Superior finish compatibility
	12mm	EO		
石纹色系	22/18mm	F★★★★		
	12/8mm	EO		
悦色色系	22mm	F★★★★		
皮纹色系	25/22/18/12/8mm	F★★★★		
	12mm	EO		
其他色系	22/18mm	F★★★★		












# TEXTURE GRACE

CHINA-MADE

# FINISH

## Linear-Stripe Series



黛青条纹 MY01-22/12    银灰条纹 MY02-22/12    烟橡条纹 MY03-22/12    流光条纹 MY04-22/12    沙褐条纹 MY05-22/12

## Embossed Series



墨韵织影 MY06-22/12    雾白织影 MY07-22/12    墨烟压纹 MY08-22/12    云霜压纹 MY09-22/12    云织白橡 MY10-22/12    浅陶压纹 MY15-22/12

## M-Series




琥珀流沙 MY11-22/12    暗影绒面 MY12-22/12    珠光月影 MY14-22/12

## MATERIALS AND PROPERTIES

### FACE MATERIAL MELAMINE

Realistic Texture & Rich Color Palette  
Superior Color Stability  
Wear/Scratch Resistant & Moisture/Water Resistant  
Effortless Cleaning



### SUBSTRATE

Category	Thickness	Environmental	Substrate	Performance Advantages
条纹色系 压纹色系	22mm	F★★★★	Particleboard	High Resistance to Bending, Compression, and Deformation Excellent nail-holding capacity Superior finish compatibility
	12mm	E0		
M色系	22/12mm	F★★★★		









# ELEGAN

CHINA-MADE

# FINISH

## Baked Paint: Solid Colors



G002-22 G004-22 G006-22 G011-22



GG03-22 GG04-22



W266-22 L275-22 L445-22 L480-22



W101-22 W116-22 W182-22 W190-22 W233-22



W288-22 W299-22 W301-22 W303-22 W304-22




DB156

## MATERIALS AND PROPERTIES

### FACE MATERIAL LACQUER

Surface Effects: High Gloss / Velvet Matte / Fine Sandgrain / Water-Based Velvet-Suede Matte  
 Vibrant Color & Premium Aesthetics  
 Non-Toxic, Odorless & Flame-Retardant  
 Silky Touch with Quadruple Resistance: Water-Wear-Yellowing-Aging  
 Micro-Scratch Self-Healing / Manual Restoration  
 Effortless Maintenance



### SUBSTRATE

Thickness	Environmental	Substrate	Performance Advantages
22mm	E1	MDF	Homogeneous Density with Anti-Cracking Durability Smooth Surface Finish for Complex Profiles & Sculptural Designs









# EXCELLENT WOOD

CHINA-MADE



雅韵棕橡纹  
YOU02-22/12

雅韵灰橡纹  
YOU03-22/12

雅韵黑橡纹  
YOU04-22/12

雅韵桉木纹  
YOU05-22/12

雅韵胡桃  
YOU06-22/12



雅韵墨橡  
YOU07-22/12




雅韵驼橡  
YOU08-22/12

MATERIALS AND PROPERTIES

FACE MATERIAL  
ITALIAN THERMOFOIL

Extreme Flatness  
Silky-Smooth Tactile  
Defined Texture & Uniform Coloration



SUBSTRATE

Thickness	Environmental	Substrate	Performance Advantages
22mm	F★★★★	MDF	Homogeneous Density with Anti-Cracking Durability Smooth Surface Finish for Complex Profiles & Sculptural Designs
22mm	E1		











# PHILLY

CHINA-MADE

FINISH

---



AM-01 AM-02 AM-03 AM-04 AM-05



AM-06 AM-07 AM-08 AM-09 AM-10



AM-11 AM-12



BM-01 BM-02 BM-03 BM-04 BM-05



BM-06 BM-07 BM-08 BM-09 BM-10



BM-11 BM-12 BM-13


## FINISH

---

### MATERIALS AND PROPERTIES

#### FACE MATERIAL MEMBRANE

Rich in color and texture  
Wear-resistant and stain-resistant  
Good moisture resistance  
Diverse in modeling




#### SUBSTRATE

Substrate	Environmental	Performance Advantages
MDF	EO	Flawlessly Smooth Surface with Fine-Grained Texture Machining-Friendly for Precision Shaping Engineered Resilience Resists Fracturing











# SHADOW

CHINA-MADE

# FINISH

## Leather grain series



栗棕皮纹  
MG01-22/12

浅雾皮纹  
MG02-22/12

象牙皮纹  
MG03-22/12

## Wood grain series



暖阳黄橡纹  
MG04-22/12


秋叶灰橡纹  
MG05-22/12

暮云咖橡  
MG06-22/12

## MATERIALS AND PROPERTIES

### FACE MATERIAL MELAMINE

The surface texture is wear-resistant.  
Excellent waterproof performance.  
Strong sense of realism.  
Scratch-resistant and durable.



### SUBSTRATE

Category	Thickness	Environmental	Substrate	Performance Advantages
木纹色系	22/12mm	F★★★★	Particleboard	Strong anti-deformation capability Excellent nail-holding capacity Superior finish compatibility
皮纹色系	22mm	F★★★★		
	12mm	E0		









# WOOD

CHINA-MAD



MPO15



MPO19



MPO20




MPO24

## MATERIALS AND PROPERTIES

### FACE MATERIAL 50S WALNUT VENEER

Naturally Luxurious with Velvety Warmth  
 Exceptional Durability & Scratch Resistance  
 Engineered Stability for Timeless Endurance  
 Signature Grain Artistry



### SUBSTRATE

Substrate	Performance Advantages
OSB	Strong anti-deformation capability Excellent nail-holding capacity Superior finish compatibility





G2081



G2081A G2081B G2081D G2081E

G1182



G1182A G1182B G1182D G1182E

G4027




JDYM-11 JDYM-13 JDYM-14 JDYM-16 JDYM-17 JDYM-20

MATERIALS AND PROPERTIES

FACE MATERIAL  
**WOOD VENEER BOARD**

0° Italian craftsmanship of semi-transparent coating  
Natural and realistic touch  
Uniform color, high-end and elegant  
The wood grain texture is clear



SUBSTRATE

Category	Substrate	Performance Advantages
G2081 G1128	MDF	Flawlessly Smooth Surface with Fine-Grained Texture Machining-Friendly for Precision Shaping Engineered Resilience Resists Fracturing
G4027	LOSB	Excellent anti-deformation ability Waterproof and moisture-proof Extremely environmentally friendly and odorless Strong nail-holding capacity





EXTRAORDINARY EXPERIENCE,  
TOUCHING IN USE



Official Accounts



red note



Tiktok

| +8628 400 001 7178 | WWW.DEB.COM.CN |

Chengdu DEB Industrial Co.,Ltd.

No. 368,Section 1,Wangcong North Road,North Area of Modern Industrial Port,Pidu District,Chengdu.

The company reserves the right to improve and change the products and their appearances in this material without prior notice. Version: Jul 2025.

